




SPECIFICATION

Application	Indoor Commercial	Beam Angle	120°
Item Type	Honeycomb Car Wash Light	Support Dimmer	Non-Dimmable
Brand	Lamphill Perfect One	Working Temp.	-20°C-40°C
Series	PHC Series	IP Rating	IP20
Wattage	Refer Model Spec	Body Material	PC + Acrylic
Product Size	Refer Model Spec	Body Color	White
Light Source	SMD	Installation	Surface Mount
Color Temp.	6500K	Compatible	PHC Series Connector
CRI	Ra>70	Package	Refer Model Spec

MODEL

Part No.	Wattage	Color Temp.	Product Size (mm)	Package
PHC-0565	5W	6500K	300mm	78 Unit / Carton
PHC-0765	7W	6500K	440mm	78 Unit / Carton
PHC-0965	9W	6500K	565mm	78 Unit / Carton
PHC-1865	18W	6500K	1175mm	50 Unit / Carton






PHC-Y120
"Y Joint" / 120° / 3 Way



PHC-S180
"Straight Joint" / 180° / 2 Way



PHC-L90
"L Joint" / 90° / 2 Way



PHC-V120
"V Joint" / 120° / 2 Way



PHC-T90
"T Joint" / 90° / 3 Way









PHC-X120
"X Joint" / 120° / 4 Way



PHC-PC
Power Cord / 228mm

 **100 Unit / Carton**


JOINTS CONNECTION DIAGRAM



INSTALLATION




Model No.	ATL0101	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	540W	Parts in a set	Frame + Hexagon*14
Size	2.43x4.84 M		



NO.	Parts Name	Qty	NO.	Parts Name	Qty
A	1.175M Lamp Tube	12	T	T Shape Splicer	1
B	0.44M Lamp Tube	57	Y	Y Shape Splicer	27
L	90° Splicer	3	V	V Shape Splicer	17
I	Straight Splicer	8		Power Cable	2



Model No.	ATL0102	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	570W	Parts in a set	Frame + Hexagon*10
Size	2.43x4.84 M		




NO.	Parts Name	Qty	NO.	Parts Name	Qty
A	1.175M Lamp Tube	12	T	T Shape Splicer	1
B	0.44M Lamp Tube	52	Y	Y Shape Splicer	18
L	90° Splicer	3	V	V Shape Splicer	26
I	Straight Splicer	8		Power Cable	3

INSTALLATION




Model No.	ATL0103	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	570W	Parts in a set	Frame + Hexagon*10
Size	2.43x4.84 M		



NO.	Parts Name	Qty	NO.	Parts Name	Qty
A	1.175M Lamp Tube	12	T	T Shape Splicer	1
B	0.44M Lamp Tube	52	Y	Y Shape Splicer	18
L	90° Splicer	3	V	V Shape Splicer	26
I	Straight Splicer	8		Power Cable	3




Model No.	ATL0104	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	515W	Parts in a set	Frame + Hexagon*8
Size	2.43x4.84 M		



NO.	Parts Name	Qty	NO.	Parts Name	Qty
A	1.175M Lamp Tube	12	T	T Shape Splicer	1
B	0.44M Lamp Tube	44	Y	Y Shape Splicer	12
L	90° Splicer	3	V	V Shape Splicer	28
I	Straight Splicer	8		Power Cable	5


INSTALLATION

Model No.	ATL0105	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	515W	Parts in a set	Frame + Hexagon*8
Size	2.43x4.84 M		



NO.	Parts Name	Qty	NO.	Parts Name	Qty
A	1.175M Lamp Tube	12	T	T Shape Splicer	1
B	0.44M Lamp Tube	44	Y	Y Shape Splicer	12
L	90° Splicer	3	V	V Shape Splicer	28
I	Straight Splicer	8		Power Cable	5

Model No.	ATL0106	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	370W	Parts in a set	Frame + Hexagon*4
Size	2.43x4.84 M		




NO.	Parts Name	Qty	NO.	Parts Name	Qty
A	1.175M Lamp Tube	12	T	T Shape Splicer	1
B	0.44M Lamp Tube	21	Y	Y Shape Splicer	7
L	90° Splicer	3	V	V Shape Splicer	11
I	Straight Splicer	8		Power Cable	2

INSTALLATION




Model No.	ATL0107	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	625W	Parts in a set	Frame + Hexagon*15
Size	2.43x4.84 M		



NO.	Parts Name	Qty	NO.	Parts Name	Qty
A	1.175M Lamp Tube	12	T	T Shape Splicer	1
B	0.44M Lamp Tube	60	Y	Y Shape Splicer	29
L	90° Splicer	3	V	V Shape Splicer	17
I	Straight Splicer	8		Power Cable	2




Model No.	ATL0108	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	588W	Parts in a set	Frame + Hexagon*11
Size	3.015x4.84 M		




NO.	Parts Name	Qty	NO.	Parts Name	Qty
A	1.175M Lamp Tube	12	T	T Shape Splicer	1
B	0.44M Lamp Tube	48	Y	Y Shape Splicer	21
L	90° Splicer	3	V	V Shape Splicer	15
I	Straight Splicer	10		Power Cabel	2

INSTALLATION




6500K WHITE
AFTER INSTALLATION

Model No.	ATL0109	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	525W	Parts in a set	Frame + Diamond*10
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	12
B	0.565M Lamp Tube	40
L	90° Splicer	25
I	Straight Splicer	8

NO.	Parts Name	Qty
T	T Shape Splicer	3
+	+ Shape Splicer	8
	Power Cable	3



6500K WHITE
AFTER INSTALLATION

Model No.	ATL0110	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	565W	Parts in a set	Frame + Square*18
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	12
B	0.565M Lamp Tube	45
L	90° Splicer	25
I	Straight Splicer	8

NO.	Parts Name	Qty
T	T Shape Splicer	16
+	+ Shape Splicer	10
	Power Cable	2

INSTALLATION



Model No.	ATL0111	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	588W	Parts in a set	Frame + Diamond*19
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	12
B	0.565M Lamp Tube	48
L	90° Splicer	10
I	Straight Splicer	8

NO.	Parts Name	Qty
T	T Shape Splicer	10
+	+ Shape Splicer	14
	Power Cable	2




Model No.	ATL0112	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	565W	Parts in a set	Frame + S Shape*3
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	12
B	0.565M Lamp Tube	45
L	90° Splicer	48
I	Straight Splicer	8

NO.	Parts Name	Qty
T	T Shape Splicer	1
	Power Cable	4

INSTALLATION




Model No.	ATL0113	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	400W	Parts in a set	Frame + Diamond*8
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	12
B	0.565M Lamp Tube	24
L	90° Splicer	8
I	Straight Splicer	8

NO.	Parts Name	Qty
T	T Shape Splicer	10
+	+ Shape Splicer	3
	Power Cable	2



Model No.	ATL0114	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	460W	Parts in a set	Frame + Diamond*8
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	12
B	0.565M Lamp Tube	32
L	90° Splicer	23
I	Straight Splicer	8

NO.	Parts Name	Qty
T	T Shape Splicer	5
+	+ Shape Splicer	4
	Power Cable	5

INSTALLATION




Model No.	ATL0115	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	410W	Parts in a set	Frame + Arrow*8
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	24
Y	Y Shape Splicer	6
L	90° Splicer	3
I	Straight Splicer	8

NO.	Parts Name	Qty
T	T Shape Splicer	1
	Power Cable	7



Model No.	ATL0116	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	310W	Parts in a set	Outer Frame + Inner Frame
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	20
T	T Shape Splicer	2
L	90° Splicer	6
I	Straight Splicer	12

NO.	Parts Name	Qty
	Power Cable	2

INSTALLATION



Model No.	ATL0117	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	410W	Parts in a set	Frame + Arrow*4
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	24
T	T Shape Splicer	6
L	90° Splicer	6
I	Straight Splicer	8

NO.	Parts Name	Qty
	Power Cable	6



Model No.	ATL0118	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	480W	Parts in a set	Outer Frame+Inner Frame
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	16
T	T Shape Splicer	2
L	90° Splicer	6
I	Straight Splicer	8

NO.	Parts Name	Qty
	Power Cable	2

INSTALLATION



Model No.	ATL0119	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	204W	Parts in a set	Outer Frame+Inner Frame
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	12
T	T Shape Splicer	1
L	90° Splicer	3
I	Straight Splicer	8

NO.	Parts Name	Qty
	Power Cable	1



Model No.	ATL0120	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	750W	Parts in a set	Outer Frame +Inner Frame*2
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	30
B	0.565M Lamp Tube	2
L	90° Splicer	9
T	T Shape Splicer	3

NO.	Parts Name	Qty
I	Straight Splicer	20
	Power Cable	3

INSTALLATION



Model No.	ATL0121	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	396W	Parts in a set	Frame + Arrow*12
Size	2.43x4.84 M		




NO.	Parts Name	Qty
A	1.175M Lamp Tube	12
B	0.565M Lamp Tube	24
L	90° Splicer	3
T	T Shape Splicer	13

NO.	Parts Name	Qty
I	Straight Splicer	8
	Power Cable	13



Model No.	ATL0122	LUM	100-120LM/W
Voltage	220V	Rendering	>90
Luminous Surface	22mm	Color Temperature	White (6500K)
Power	750W	Parts in a set	Frame + Diamond*23
Size	2.882x4.84 M		



NO.	Parts Name	Qty
A	1.175M Lamp Tube	12
B	0.44M Lamp Tube	2
C	0.565M Lamp Tube	60
L	90° Splicer	18

NO.	Parts Name	Qty
T	T Shape Splicer	2
I	Straight Splicer	10
+	+ Shape Splicer	22
	Power Cable	2